

VRF - OUTDOOR HEAT Pumps													
TAG	LOCATION	MANUFACTURER	MODEL	NOMINAL COOLING CAPACITY	NOMINAL HEATING CAPACITY	COP @47F	EER	DIMENSIONS			ELECTRICAL	NOTES	
								WIDTH	HEIGHT	DEPTH	WEIGHT		
OHP-1	MECHANICAL YARD	mitsubishi	TURYE1683AN40AN	168,000 Btu/h	188,000 Btu/h	3.3	11.2	5'-8 29/32"	2'-5 5/32"	5'-11 5/8"	777 lb	208V/3PH	57
OHP-2	MECHANICAL YARD	mitsubishi	TURYE1683AN40AN	168,000 Btu/h	188,000 Btu/h	3.3	11.2	5'-8 29/32"	2'-5 5/32"	5'-11 5/8"	777 lb	208V/3PH	57

VRF - INDOOR HEAT Pumps													
TAG	MANUFACTURER	MODEL	UNIT TYPE	OUTDOOR UNIT	COOLING CAPACITY	HEATING CAPACITY	COP @47F	EER	DIMENSIONS			ELECTRICAL	NOTES
									WIDTH	HEIGHT	DEPTH	WEIGHT	
IHP-ADMIN	mitsubishi	PEFY-P12NMAU-E	DUCTED	OHP-2	12,000 Btu/h	13,500 Btu/h	0'-7 7/8"	2'-3 9/16"	2'-2 21/32"	51 lb	208VAC/1PH	1.21	
IHP-CEO	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	8,000 Btu/h	9,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.28	
IHP-CFO	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	8,000 Btu/h	9,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.28	
IHP-CO1	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CO2	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CO3	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CO4	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CO5	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CO6	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CO7	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CO8	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CO9	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CO10	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CO11	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CO12	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-CONF1	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	8,000 Btu/h	9,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.28	
IHP-CONF2	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	8,000 Btu/h	9,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.28	
IHP-CONF3	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	8,000 Btu/h	9,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.28	
IHP-CONF4	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	8,000 Btu/h	9,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.28	
IHP-CW1	mitsubishi	PLFY-P12NFMU-E	CEILING CASSETTE	OHP-2	12,000 Btu/h	13,500 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	32 lb	208-230V/1PH	0.29	
IHP-CW2	mitsubishi	PLFY-P12NFMU-E	CEILING CASSETTE	OHP-2	12,000 Btu/h	13,500 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	32 lb	208-230V/1PH	0.29	
IHP-DCI	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	8,000 Btu/h	9,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.28	
IHP-DLAB	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-DOFF	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-EX1	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-EX2	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-EX3	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-GRP1	mitsubishi	PLFY-P12NFMU-E	CEILING CASSETTE	OHP-1	12,000 Btu/h	13,500 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	32 lb	208-230V/1PH	0.29	
IHP-GRP2	mitsubishi	PLFY-P12NFMU-E	CEILING CASSETTE	OHP-1	12,000 Btu/h	13,500 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	32 lb	208-230V/1PH	0.29	
IHP-GRP3	mitsubishi	PLFY-P12NFMU-E	CEILING CASSETTE	OHP-1	12,000 Btu/h	13,500 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	32 lb	208-230V/1PH	0.29	
IHP-GRP4	mitsubishi	PLFY-P12NFMU-E	CEILING CASSETTE	OHP-1	12,000 Btu/h	13,500 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	32 lb	208-230V/1PH	0.29	
IHP-LQB1	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-LQB2	mitsubishi	PEFY-P12NMAU-E	DUCTED	OHP-2	12,000 Btu/h	13,500 Btu/h	0'-7 7/8"	2'-3 9/16"	2'-2 21/32"	51 lb	208VAC/1PH	1.21	
IHP-MEDS	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-NURSE	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	8,000 Btu/h	9,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.28	
IHP-OFF1	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-OFF2	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-OFF3	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-OFF4	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-OP	mitsubishi	PEFY-P12NMAU-E	DUCTED	OHP-2	12,000 Btu/h	13,500 Btu/h	0'-7 7/8"	2'-3 9/16"	2'-2 21/32"	51 lb	208VAC/1PH	1.21	
IHP-PHARM	mitsubishi	PEFY-P12NMAU-E	DUCTED	OHP-2	12,000 Btu/h	13,500 Btu/h	0'-7 7/8"	2'-3 9/16"	2'-2 21/32"	51 lb	208VAC/1PH	1.21	
IHP-PH1B	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-POFF	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	8,000 Btu/h	9,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.28	
IHP-REC	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-SEC	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-SL	mitsubishi	PEFY-P15NMSU-E	CEILING CASSETTE	OHP-2	15,000 Btu/h	17,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	32 lb	208-230V/1PH	0.35	
IHP-SR	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	8,000 Btu/h	9,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.28	
IHP-SW	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-1	5,000 Btu/h	5,600 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.24	
IHP-WAIT	mitsubishi	PLFY-P08NFMU-E	CEILING CASSETTE	OHP-2	8,000 Btu/h	9,000 Btu/h	0'-8 3/16"	1'-10 7/16"	1'-10 7/16"	29 lb	208-230V/1PH	0.28	

NOT FOR CONSTRUCTION

JAMESTOWN SIKLALLAM TRIBE
 HEALING CAMPUS
 US-101 & 8TH AVE
 SEQUIM, WA 98382

VRF - BRANCH CIRCUIT CONTROLLERS												
TAG	LOCATION	OUTDOOR UNIT	MAIN / SUB	MANUFACTURER	MODEL	# PORTS	DIMENSIONS			ELECTRICAL	NOTES	
							WIDTH	DEPTH	HEIGHT	WEIGHT		
BCC-1-1	MECH RM	OHP-1	MAIN	mitsubishi	TCMBM1016A11N4	16	0'-0"	0'-0"	0'-0"	153 lb	208V/1PH	1.57
BCC-1-2	PATIENT FLT #3	OHP-1	SUB	mitsubishi	TCMBS0104KB1N4	4	0'-0"	0'-0"	0'-0"	51 lb	208V/1PH	0.44
BCC-1-3	PATIENT FLT #2	OHP-1	SUB	mitsubishi	TCMBS0108KB1N4	8	0'-0"	0'-0"	0'-0"	106 lb	208V/1PH	0.97
BCC-2-1	JANITOR	OHP-2	MAIN	mitsubishi	TCMBM1012A11N4	12	0'-0"	0'-0"	0'-0"	133 lb	208V/1PH	1.57
BCC-2-2	STAFF FLT #1	OHP-2	SUB	mitsubishi	TCMBS0108KB1N4	8	0'-0"	0'-0"	0'-0"	106 lb	208V/1PH	0.97

MECH - FANS									
TAG	LOCATION / SERVICE	MANUFACTURER	MODEL	FLOW	STATIC PRESSURE	MOTOR HP	VOLTS/PHASE	WEIGHT	NOTES
EF-STR	STERILIZATION ROOM	GREENHECK	SP-A200	200 CFM	0.4 in-wg	55w	120V/1PH	26 lb	PROVIDE FAN W/ WALL-MOUNTED DEHUMIDISTAT AND TEMP SENSOR
EF-SU	SOILED UTILITY ROOM	GREENHECK	SP-A200	200 CFM	0.4 in-wg	55w	120V/1PH	26 lb	PROVIDE FAN W/ WALL-MOUNTED DEHUMIDISTAT AND TEMP SENSOR

MECH - ENERGY RECOVERY VENTILATORS												
TAG	MANUFACTURER	MODEL	FLOW	RECOVERY EFFICIENCY		PRESSURE DROP	VOLTS/PHASE	DIMENSIONS			WEIGHT	NOTES
				SENSIBLE	LATENT			WIDTH	DEPTH	HEIGHT		
ERV-1	LOSSNAY	LGH-F1200RXS-E1	1050 CFM	68%	65%	0.00 in-wg	208-230V/1PH	2'-7 1/2"	5'-5 7/16"	4'-0 7/16"	265.00 lb	
ERV-2	LOSSNAY	LGH-F400RXS-E1	480 CFM	72%	65%	0.00 in-wg	208-230V/1PH	1'-3 21/32"	3'-9 27/32"	3'-3 1/2"	132.00 lb	
ERV-3	LOSSNAY	LGH-F1200RXS-E1	850 CFM	70%	67%	0.00 in-wg	208-230V/1PH	2'-7 1/2"	5'-5 7/16"	4'-0 7/16"	265.00 lb	
ERV-4	LOSSNAY	LGH-F1200RXS-E1	730 CFM	70%	67%	0.00 in-wg	208-230V/1PH	2'-7 1/2"	5'-5 7/16"	4'-0 7/16"	265.00 lb	
ERV-5	LOSSNAY	LGH-F300RXS-E1	100 CFM	80%	70%	0.00 in-wg	208-230V/1PH	1'-0 17/32"	2'-10 15/16"	3'-4"	73.00 lb	
ERV-6	LOSSNAY	LGH-F300RXS-E1	100 CFM	80%	70%	0.00 in-wg	208-230V/1PH	1'-0 17/32"	2'-10 15/16"	3'-4"	73.00 lb	
ERV-7	LOSSNAY	LGH-F1200RXS-E1	1000 CFM	68%	65%	0.00 in-wg	208-230V/1PH	2'-7 1/2"	5'-5 7/16"	4'-0 7/16"	265.00 lb	
ERV-8	LOSSNAY	LGH-F470RXS-E1	400 CFM	71%								

